

Publications - EUGeneHeart

- LR Castro et al.: Cyclic guanosine monophosphate compartmentation in rat cardiac myocytes. *Circulation Research* 2006 May 9;113(18):2221-8.
- F Rochais et al.: A specific pattern of phosphodiesterases controls the cAMP signals generated by different Gs-coupled receptors in adult rat ventricular myocytes. *Circ Res.* 2006 Apr 28;98(8):1081-8.
- KF de Brouwer et al.: Specific and sustained down-regulation of genes involved in fatty acid metabolism is not a hallmark of progression to cardiac failure in mice. *J Mol Cell Cardiol.* 2006 Jun;40(6):838-45.
- DJ Grieve et al.: Involvement of the nicotinamide adenosine dinucleotide phosphate oxidase isoform Nox2 in cardiac contractile dysfunction occurring in response to pressure overload. *J Am Coll Cardiol.* 2006 Feb 21;47(4):817-26.
- H Kogler et al.: Relevance of brain natriuretic peptide in preload-dependent regulation of cardiac sarcoplasmic reticulum Ca²⁺ ATPase expression. *Circulation.* 2006 Jun 13;113(23):2724-32.
- RJ van Oort Ret al.: MEF2 activates a genetic program promoting chamber dilation and contractile dysfunction in calcineurin-induced heart failure. *Circulation.* 2006 Jul 25;114(4):298-308.
- K Bouzakri et al.: siRNA-based gene silencing reveals specialized roles of IRS-1/Akt2 and IRS-2/Akt1 in glucose and lipid metabolism in human skeletal muscle. *Cell Metab.* 2006 Jul;4(1):89-96
- U Danilczyk et al.: Essential role for collectrin in renal amino acid transport *Nature.* 2006 Dec 21;444(7122):1088-91.
- A El-Armouche et al.: Role of calcineurin and protein phosphatase-2A in the regulation of phosphatase inhibitor-1 in cardiac myocytes. *Biochem Biophys Res Commun.* 2006 Aug 4;346(3):700-6.
- Y Athéa et al.: AMP-activated protein kinase $\alpha 2$ deficiency affects cardiac cardioplipin homeostasis and mitochondrial function. *Diabetes.* 2007 Mar;56(3):786-94
- O Kotova et al.: Cardiostimulatory steroids stimulate glycogen synthesis in human skeletal muscle cells via a Src- and ERK1/2-dependent mechanism. *J Biol Chem.* 2006 Jul 21;281(29):20085-94.
- P Vangheluwe et al.: A SERCA2 pump with an increased Ca²⁺ affinity can lead to severe cardiac hypertrophy, stress intolerance and reduced life span. *J Mol Cell Cardiol.* 2006 Aug;41(2):308-17.
- D Catalucci et al.: Effects of Akt on cardiac myocytes: location counts. *Circ Res.* 2006 Aug 18;99(4):381-8.
- L Lucats et al.: The inotropic adaptation during late preconditioning against myocardial stunning is associated with an increase in FKBP 12.6. *Cardiovascular Research* 73 (2007) 560-567
- V Regitz-Zagrosek et al.: Role of Gender in Heart Failure with Normal Left Ventricular Ejection Fraction (HF-NEF). *Prog Cardiovasc Dis.* 2007 Jan-Feb;49(4):241-51
- K Bouzakri et al.: MAP4K4 gene silencing in human skeletal muscle prevents tumor necrosis factor alpha-induced insulin resistance. *J Biol Chem.* 2007 Mar 16;282(11):7783-9. Epub 2007 Jan 16
- A Zahradnikova Jr et al.: Kinetics of calcium spikes in rat cardiac myocytes. *J Physiol.* 2007 Feb 1;578(Pt 3):677-91.
- J Fielitz et al.: Inhibition of prolyl 4-hydroxylase improves left ventricular remodeling in rats with thoracic aortic banding. *Eur J Heart Fail.* 2007 Apr;9(4):336-42.
- M Ceci et al.: Cardiac-specific overexpression of E40K active Akt prevents pressure overload induced heart failure in mice by increasing angiogenesis and reducing apoptosis. *Cell Death Differ.* 2007 May;14(5):1060-2.
- F Goirand et al.: Activation of AMP kinase $\alpha 1$ subunit induces aortic vasorelaxation in mice. *J Physiol.* 2007 Jun 15;581(Pt 3):1163-71.
- H Naito et al.: Optimizing engineered heart tissue for therapeutic applications as surrogate heart muscle. *Circulation.* 2006 Jul 4;114(1 Suppl):I72-8
- A El-Armouche et al.: Molecular determinants of altered Ca²⁺ handling in human chronic atrial fibrillation. *Circulation.* 2006 Aug 15;114(7):670-80.
- G Antoons G et al.: Window Ca²⁺ current and its modulation by Ca²⁺ release in cardiac myocytes from dogs with chronic atrioventricular block. *J Physiol.* 2006 Nov 30
- M Zhang et al.: Role of ROS in Myocardial Remodelling. *Curr Heart Fail Rep.* 2007 Mar;4(1):26-30
- V Bito et al.: Reduced force generating capacity in myocytes from chronically ischemic, hibernating myocardium. *Circ Res.* 2007 Feb 2;100(2):229-37.
- Y Athéa et al.: Mitochondrial and energetic cardiac phenotype in hypothyroid rat. Relevance to heart failure. *Pflugers Arch.* 2007 Dec;455(3):431-42.
- S Brokat et al.: Altered melusin expression in the hearts of aortic stenosis patients. *Eur J Heart Fail.* 2007 Jun-Jul;9(6-7):568-73.

- A El-Armouche et al.: Phosphatase inhibitor-1-deficient mice are protected from catecholamine toxicity. *Cardiovasc Res.* 2008 Aug 24.
- A Carè et al.: MicroRNA-133 controls cardiac hypertrophy. *Nat Med.* 2007 May;13(5):613-8.
- A S Farkas et al.: Na⁺/Ca²⁺ Exchanger inhibition exerts positive inotropic effect in the rat heart, but does not influence the contractility of the rabbit heart. *Br J Pharmacol.* 2008 May;154(1):93-104.
- WH Zimmermann et al.: Cardiac Tissue Engineering: A Clinical Perspective. *Future Cardiol* 2007; 3:435-445.
- WH Zimmermann et al.: Embryonic Stem Cells for Cardiac Muscle Engineering. *Trends Cardiovasc Med.* 2007 May;17(4):134-40
- A El-Armouche et al.: Adenovirus-delivered short hairpin RNA targeting PKC α improves contractile function in reconstituted heart tissue. *J Mol Cell Cardiol.* 2007 Sep;43(3):371-6.
- A El-Armouche et al.: Decreased phosphorylation levels of cardiac myosin-binding protein-C in human and experimental heart failure. *J Mol Cell Cardiol.* 2007 Aug;43(2):223-9.
- R Knöll et al.: Laminin alpha 4 and integrin-linked kinase mutations cause human cardiomyopathy via simultaneous defects in cardiomyocytes and in endothelial cells. *Circulation.* 2007 Jul 31;116(5):515-25.
- O J Kemi et al.: Activation or inactivation of cardiac Akt/mTOR signaling diverges physiological from pathological hypertrophy. *J Cell Physiol.* 2007 Oct 16;214(2):316-321.
- B EJ Teunissen et al.: Activation of PPAR δ inhibits cardiac fibroblast proliferation and the transdifferentiation into myofibroblasts. *Cardiovasc Res.* 2007 Aug 1;75(3):519-29.
- Y Imai et al.: Angiotensin-converting enzyme 2 in acute respiratory distress syndrome. *Cell Mol Life Sci.* 2007 Aug;64(15):2006-12. Review
- K Kuba et al.: Impaired heart contractility in Apelin gene-deficient mice associated with aging and pressure overload. *Circ Res.* 2007 Aug 17;101(4):e32-42.
- Y Imai et al.: The renin-angiotensin system in acute respiratory distress syndrome. *Drug Discovery Today Disease Mechanisms* Vol. 3, No 2 2006: 225 - 229 DOI: 10.1016/j.ddmec.2006.06.012
- O J Kemi et al.: Myocardial sarcoplasmic reticulum Ca²⁺ ATPase function is increased by aerobic interval training. *Eur J Cardiovasc Prev Rehabil.* 2008 Apr;15(2):145-8.
- Ø Ellingsen et al.: Aerobic interval training enhances cardiomyocyte contractility and Ca²⁺ cycling by phosphorylation of CaMKII and Thr-17 of phospholamban. *J Mol Cell Cardiol.* 2007 Sep;43(3):354-61.
- P Gallo et al.: A lentiviral vector with a short troponin-I promoter for tracking cardiomyocyte differentiation of human embryonic stem cells. *Gene Ther.* 2008 Feb;15(3):161-70.
- A Sirker et al.: Involvement of NADPH oxidases in cardiac remodeling and heart failure. *Am J Nephrol.* 2007;27(6):649-60.
- P JH Smeets et al.: Peroxisome proliferator-activated receptors and inflammation: Take it to heart. *Acta Physiol (Oxf).* 2007 Nov;191(3):171-88
- K Acsai et al.: Effect of partial blockade of the Na⁺/Ca²⁺-exchanger on Ca²⁺ handling in isolated rat ventricular myocytes. *Eur J Pharmacol.* 2007 Dec 8;576(1-3):1-6.
- V Ciobotaru et al.: Effect of long-term heart rate reduction by If-current inhibition on pressure-overload-induced heart failure in rats. *J Pharmacol Exp Ther.* 2007 Sep 27;
- P Madeddu et al.: Phosphoinositide 3-Kinase μ Gene Knockout Impairs Postischemic Neovascularization and Endothelial Progenitor Cell Functions. *Arterioscler Thromb Vasc Biol.* 2008 Jan;28(1):68-76.
- C Costa et al.: Negative feedback regulation of Rac in leukocytes from mice expressing a constitutively active phosphatidylinositol 3-kinase μ . *Proc Natl Acad Sci U S A.* 2007 Sep 4;104(36):14354-9.
- S Moniotte et al.: Sepsis is associated with an upregulation of functional β 3 adrenoceptors in the myocardium. *Eur J Heart Fail.* 2007 Dec;9(12):1163-71.
- F Joubert et al.: Local energetic regulation of sarcoplasmic and myosin ATPase is differently impaired in rats with heart failure. *J Physiol.* 2008 Sep 11.
- D Vincze et al.: Relevance of anaesthesia for dofetilide-induced torsades de pointes in α 1-adrenoceptor-stimulated rabbits. *Br J Pharmacol.* 2008 Jan;153(1):75-89.
- E Poláková et al.: Local calcium release activation by DHPR calcium channel openings in rat cardiac myocytes. *J Physiol.* 2008 Aug 15;586(16):3839-54.
- F Desjardins et al.: Rosuvastatin increases vascular endothelial PPAR μ expression and corrects blood pressure variability in obese dyslipidemic mice. *Eur Heart J.* 2008 Jan;29(1):128-37.
- P Garabelli et al.: Distinct roles for angiotensin converting enzyme 2 and carboxypeptidase A in the processing of angiotensins within the murine heart. *Exp Physiol.* 2008 Mar 20

KA Smith et al.: Rotation and asymmetric development of the zebrafish heart requires directed migration of cardiac progenitor cells. *Dev Cell*. 2008 Feb;14(2):287-97.

J Leroy et al.: Spatiotemporal dynamics of β -adrenergic cAMP signals and L-type Ca^{2+} channel regulation in adult rat ventricular myocytes: Role of phosphodiesterases. *Circ Res*. 2008 Mar 27

V Bito et al.: Cross-talk between L-type Ca^{2+} channels and the sarcoplasmic reticulum - alterations during cardiac remodeling. *Cardiovasc Res*. 2008 Jan 15;77(2):315-24.

FR Heinzl et al.: Remodeling of T-tubules and reduced synchrony of Ca^{2+} release in myocytes from chronically ischemic myocardium. *Circ Res*. 2008 Feb 15;102(3):338-46.

R Dworakowski et al.: Reduced NADPH oxidase-derived superoxide and vascular endothelial dysfunction in human heart failure. *J Am Coll Cardiol*. 2008 Apr 8;51(14):1349-56

D Fliegner et al.: Up-regulation of PPAR μ in myocardial infarction. *Eur J Heart Fail*. 2008 Jan;10(1):30-8.

H Witt et al.: Sex-specific pathways in early cardiac response to pressure overload in mice. *J Mol Med*. 2008 Sep;86(9):1013-24.

M Diedrich et al.: Heart protein expression related to age and sex in mice and human. *Int J Mol Med*. 2007 Dec;20(6):865-74

J Isensee et al.: Sexually Dimorphic Gene Expression in the Heart of Mice and Men. *J Mol Med*. 2008 Jan;86(1):61-74.

P JH Smeets et al.: Cardiac hypertrophy is enhanced in PPAR α -/- mice in response to chronic pressure-overload. *Cardiovasc Res*. 2008 Apr 1;78(1):79-89.

M FL Meijjs et al.: Differences in determinants of left ventricular mass assessed by cardiac magnetic resonance imaging across subjects with and without previous symptomatic atherosclerotic disease. *Int J Cardiol*. 2010 Jan 21;138(2):145-50.

L Virág et al.: Self augmentation of the repolarization lengthening is related to the shape of the action potential: the role of the intrinsic properties of IKr and IK1 and its implication to reverse rate dependency. *Br J Pharmacol*. 2009 Apr;156(7):1076-84.

P Birinyi et al.: The $\text{Na}^+/\text{Ca}^{2+}$ exchange blocker SEA0400 fails to enhance cytosolic Ca^{2+} transient and contractility in canine ventricular cardiomyocytes. *Cardiovasc Res*. 2008 Jun 1;78(3):476-84.

AT Gonon et al.: Adiponectin protects against myocardial ischemia/reperfusion injury via AMPK, Akt and nitric oxide. *Cardiovasc Res*. 2008 Apr 1;78(1):116-22.

N Anilkumar et al.: Nox4 and Nox2 NADPH oxidases mediate distinct cellular redox signaling responses to agonist stimulation. *Arterioscler Thromb Vasc Biol*. 2008 May 8.

K Bouzakri et al.: Malonyl Coenzyme A decarboxylase regulates lipid and glucose metabolism in human skeletal muscle. *Diabetes*. 2008 Jun;57(6):1508-16.

B Gellen et al.: Conditional FKBP12.6 overexpression in mouse cardiac myocytes prevents triggered ventricular tachycardia through specific alterations in EC coupling. *Circulation*. 2008 Apr 8;117(14):1778-86.

K Ban et al.: Phosphatidylinositol 3-Kinase μ is a Critical Mediator of Myocardial Ischemic and Adenosine-Mediated Preconditioning. *Circ Res*. 2008 Sep 12;103(6):643-53.

E Chavakis et al.: PI3K μ is integral to homing functions of progenitor cells. *Circ Res*. 2008 Apr 25;102(8):942-9.

Y Imai et al.: Identification of Oxidative Stress and Toll-like Receptor 4 Signaling as a Key Pathway of Acute Lung Injury. *Cell*. 2008 Apr 18;133(2):235-49.

F Desjardins et al.: Control of blood pressure variability in caveolin-1-deficient mice: role of NO identified in vivo through spectral analysis. *Cardiovasc Res*. 2008 Apr 9.

S Dinanian et al.: Down-regulation of the calcium current in human right atrial myocytes from patients in sinus rhythm but with a high risk of atrial fibrillation. *Eur Heart J*. 2008 May;29(9):1190-7.

R Postel et al.: Zebrafish integrin-linked kinase is required in skeletal muscles for strengthening the integrin-ECM adhesion complex. *Dev Biol*. 2008 Jun 1;318(1):92-101.

E Hirsch et al.: Taming the PI3K team to hold inflammation and cancer at bay. *Pharmacol Ther*. 2008 May;118(2):192-205.

L Barberis et al.: Targeting phosphoinositide 3-kinase μ to fight inflammation and more. *Thromb Haemost*. 2008 Feb;99(2):279-85.

S Neef et al.: Remodeling of Excitation-contraction Coupling in the Heart: Inhibition of Sarcoplasmic Reticulum Ca^{2+} Leak as a Novel Therapeutic Approach. *Current Heart Failure Reports* 2007, 4:11-17

B Benziane et al.: Skeletal muscle sodium pump regulation: a translocation paradigm. *Am J Physiol Endocrinol Metab*. 2008 Apr 22.

S Ozdemir et al.: Pharmacological inhibition of Na/Ca exchange results in increased cellular Ca^{2+} load due to the predominance of forward mode block. *Circ Res*. 2008 Jun 6;102(11):1398-405.

M FL Meijs et al.: Unrecognized myocardial infarction in subjects at high cardiovascular risk: prevalence and determinants. *Heart*. 2009 May;95(9):728-32.

M Sbroggiò et al.: The mammalian CHORD-containing protein Melusin is a stress response protein interacting with Hsp90 and Sgt1. *FEBS Lett*. 2008 Jun 11;582(13):1788-94.

X Loyer et al.: Cardiomyocyte Overexpression of Neuronal Nitric Oxide Synthase Delays Transition Towards Heart Failure in Response to Pressure Overload by Preserving Calcium Cycling. *Circulation*. 2008 Jun 9.

L Vinet et al.: Chronic doxycycline exposure accelerates left ventricular hypertrophy and progression to heart failure in mice after thoracic aorta constriction. *Am J Physiol Heart Circ Physiol*. 2008 May 16.

M Bourajjaj et al.: NFATc2 is a necessary mediator of calcineurin-dependent cardiac hypertrophy and heart failure. *J Biol Chem*. 2008 May 12.

PA da Costa Martins et al.: Conditional dicer gene deletion in the postnatal myocardium provokes spontaneous cardiac remodeling. *Circulation*. 2008 Oct 7;118(15):1567-76.

A-S Armand et al.: Cooperative synergy between NFATc3 and MyoD regulates myogenin expression and myogenesis. *J Biol Chem*. 2008 Aug 1.

C Mauritz et al.: Generation of Functional Murine Cardiac Myocytes from Induced Pluripotent Stem (iPS) Cells. *Circulation*. 2008 Jul 29;118(5):507-17.

S MR Camargo et al.: Tissue-specific amino acid transporter partners Angiotensin converting enzyme 2 and Collectrin differentially interact with Hartnup mutations. *Gastroenterology*. 2009 Mar;136(3):872-82.

VA Skeberdis et al.: beta3-adrenergic receptor activation increases human atrial tissue contractility and stimulates the L-type Ca²⁺ current. *J Clin Invest*. 2008 Sep;118(9):3219-27.

N Nagy et al.: Does small-conductance calcium-activated potassium channel contribute to cardiac repolarization? *J Mol Cell Cardiol*. 2009 Jul 24.

F Lovren et al.: Angiotensin Converting Enzyme-2 (ACE2) confers endothelial protection and attenuates atherosclerosis. *Am J Physiol Heart Circ Physiol*. 2008 Oct;295(4):H1377-84.

A Abi-Gerges et al.: Role of Phosphodiesterases in Cyclic Nucleotide Compartmentation in Cardiac Myocytes. Joseph Beavo: Cyclic Nucliotide Phosphodiesterases in Health and Disease, Chapter 20 pp 395

P Gallo et al.: Inhibition of Class I Histone Deacetylases with an Apicidin Derivative Prevents Cardiac Hypertrophy and Failure. *Cardiovasc Res*. 2008 Dec 1;80(3):416-24.

M van Bilsen et al.: Metabolic remodelling of the failing heart: Beneficial or detrimental? *Cardiovasc Res*. 2008 Nov 6.

P JH Smeets et al.: Inflammatory pathways are activated during cardiomyocyte hypertrophy and attenuated by PPAR α and PPAR δ . *J Biol Chem*. 2008 Oct 24;283(43):29109-18.

P JH Smeets et al.: Transcriptomic analysis of PPAR α -dependent alterations during cardiac hypertrophy. *Physiol Genomics*. 2008 Dec 12;36(1):15-23.

J-L Balligand et al.: Endothelial nitric oxide synthase activation by physical forces: from the short-term regulation of contraction to chronic remodeling of cardiovascular tissues. *Physiol Rev*. 2009 Apr;89(2):481-534.

E Cirraolo et al.: Phosphoinositide 3-Kinase p110 β : Activity Key Role in Metabolism and Mammary Gland Cancer but Not Development. *Sci Signal*. 2008 Sep 9;1(36):ra3.

L Zelarayán et al.: β -catenin downregulation attenuates ischemic cardiac remodeling through enhanced resident precursor cell differentiation. *Proc Natl Acad Sci U S A*. 2008 Dec 16;105(50):19762-7.

A Garnier et al.: Control by circulating factors of mitochondrial function and transcription cascade in heart failure. A role for endothelin-1 and angiotensin-II. *Circ Heart Fail*. 2009 Jul;2(4):342-50.

C Jacobshagen et al.: Inhibition of PI3K improves contractility in alpha1-adrenergically stimulated myocardium. *Front Biosci*. 2008 May 1;13:6841-9.

G Antoons et al.: Targeting calcium handling in arrhythmias. *Europace*. 2008 Dec;10(12):1364-9.

P Pokreisz et al.: Ventricular phosphodiesterase 5 expression is increased in patients with advanced heart failure and contributes to adverse ventricular remodeling after myocardial infarction in mice. *Circulation*. 2009 Jan 27;119(3):408-16.

J Prorok et al.: Herpesvirus-mediated delivery of a genetically encoded fluorescent Ca²⁺ sensor to canine cardiomyocytes. *J Biomed Biotechnol*. 2009; 2009:361795.

G Palais et al.: Targeted transgenesis at the HPRT locus: an efficient strategy to achieve tightly controlled in vivo conditional expression with the tet system. *Physiol Genomics*. 2009 Apr 10;37(2):140-6.

J Backs et al.: The δ isoform of CaM kinase II is required for pathological cardiac hypertrophy and remodelling after pressure overload. *Proc Natl Acad Sci U S A*. 2009 Feb 17;106(7):2342-7.

S Marston et al.: Evidence from human myectomy samples that *MYBPC3* mutations cause hypertrophic cardiomyopathy through haploinsufficiency. *Circ Res.* 2009 Jul 31;105(3):219-22.

E de Pater et al.: Distinct phases of cardiomyocyte differentiation regulate growth of the zebrafish heart. *Development.* 2009 May;136(10):1633-41

M Seddon et al.: Effects of neuronal nitric oxide synthase (nNOS) on human coronary artery diameter and blood flow in vivo. *Circulation.* 2009 May 26;119(20):2656-62.

A Akki et al.: NADPH oxidase signaling and cardiac myocyte function. *J Mol Cell Cardiol.* 2009 Jul;47(1):15-22.

M Zhang et al.: Oxidative Stress and Redox Signalling in Cardiac Remodelling. *Studies on Cardiovascular Disorders; Series: Oxidative Stress in Applied Basic Research and Clinical Practice* ; ISBN: 978-1-60761-599-6

KA Smith et al.: A dominant-negative *ALK2* allele associates with congenital heart defects. *Circulation.* 2009 Jun 23;119(24):3062-9.

J-L Balligand et al.: Beta3-adrenoceptor stimulation on top of Beta1-adrenoceptor blockade. *J Am Coll Cardiol.* 2009 Apr 28;53(17):1539-42.

D Galuska et al.: Altered expression and insulin-induced trafficking of Na⁺, K⁺-ATPase in rat skeletal muscle: effects of high fat diet and exercise. *Am J Physiol Endocrinol Metab.* 2009 Apr 14.

M FL Meijs et al.: A prediction model for left ventricular mass in patients at high cardiovascular risk. *Eur J Cardiovasc Prev Rehabil.* 2010 Sep 2.

P Sogaard et al.: Effects of fibre type and diffusion distance on mouse skeletal muscle glycogen content *in vitro*. *J Cell Biochem.* 2009 Jun 8.

Z Kassiri et al.: Loss of ACE2 leads to maladaptive left ventricular remodeling in response to myocardial infarction. *Circ Heart Fail.* 2009 Sep;2(5):446-55.

CH Österreicher et al.: Angiotensin-converting-enzyme 2 inhibits liver fibrosis in mice. *Hepatology.* 2009 May 28.

T Köcher et al.: High precision quantitative proteomics using iTRAQ on an LTQ Orbitrap: a new mass spectrometric method combining the benefits of all. *J Proteome Res.* 2009 Aug 11.

G G Neely et al.: A global in vivo *Drosophila* RNAi screen identifies NOT3 as a key regulator of heart function. *Cell.* 2010 Apr 2;141(1):142-53

GY Oudit et al.: Cardiac Regulation by Phosphoinositide 3-kinases and PTEN. *Cardiovasc Res.* 2009 May 1;82(2):250-60.

HN Reich et al.: Decreased glomerular and tubular expression of ACE2 in patients with type 2 diabetes and kidney disease. *Kidney Int.* 2008 Dec;74(12):1610-6.

D Singer et al.: Orphan transporter SLC6A18 is renal neutral amino acid transporter B0AT3. *J Biol Chem.* 2009 May 28.

GY Oudit et al.: SARS-coronavirus modulation of myocardial ACE2 expression and inflammation in patients with SARS. *Eur J Clin Invest.* 2009 Jul;39(7):618-25.

S Neef et al.: CaMKII Dependent Diastolic SR Ca²⁺ Leak and Elevated Diastolic Ca²⁺ Levels in Right Atrial Myocardium of Patients with Atrial Fibrillation. *Circ Res.* 2010 Apr 2;106(6):1134-44.

A Abi-Gerges et al.: Decreased expression and activity of cAMP phosphodiesterases in cardiac hypertrophy and its impact on alpha-adrenergic cAMP signals. *Circ Res.* 2009 Oct 9;105(8):784-92.

G Vandecasteele et al.: Compartmentation of cAMP in Cardiomyocytes. *Handbook of Cell Signaling, Three-Volume Set 2 ed., Chapter 195, Bradshaw 978-0-12-374145-5*

L Elia et al.: The knockout of miR-143 and -145 alters smooth muscle cell maintenance and vascular homeostasis in mice: correlates with human disease. *Cell Death Differ.* 2009 Dec;16(12):1590-8.

H el Azzouzi et al.: MEF2 transcriptional activity maintains mitochondrial adaptation in cardiac pressure overload. *Eur J Heart Fail.* 2010 Jan;12(1):4-12.

B Benziane et al.: AMP-activated protein kinase activator A-769662 is an inhibitor of the Na⁺,K⁺-ATPase. *Am J Physiol Cell Physiol.* 2009 Dec;297(6):C1554-66.

V Palumbo et al.: Melusin gene (ITGB1BP2) nucleotide variations study in hypertensive and cardiopathic patients. *BMC Med Genet.* 2009 Dec 17;10:140.

K Wittköpper et al.: Conditional expression of constitutively active phosphatase-1- inhibitor-1 improves cardiac contractility in young mice but is deleterious after catecholaminergic stress and with aging. *J Clin Invest.* 2010 Jan 11. p: 40545. doi: 10.1172/JCI40545.

A Hansen et al.: Development of a drug screening platform based on engineered heart tissues. *Circ Res.* 2010 May 6.

A Granlund et al.: Effects of exercise on muscle glycogen synthesis signalling and enzyme activities in pigs carrying the PRKAG3 mutation. *Exp Physiol.* 2009 Dec 22.

P Sogaard et al.: Spatial insulin signalling in isolated skeletal muscle preparations. *J Cell Biochem.* 2010 Jan 12.

KR Sipido et al.: Targeting sarcoplasmic reticulum Ca uptake to improve heart failure: hit or miss. *Circ Res.* 2010 Feb 5;106(2):230-3

I Lenaerts et al.: Ultrastructural and functional remodeling of the coupling between Ca²⁺ influx and sarcoplasmic reticulum Ca²⁺ release in right atrial myocytes from experimental persistent atrial fibrillation. *Circ Res.* 2009 Oct 23;105(9):876-85.

V Bito et al.: Early exercise training after myocardial infarction prevents contractile, but not electrical remodeling or hypertrophy. *Cardiovasc Res.* 2010 Apr 1;86(1):72-81.

E Cirraolo et al.: Essential Role of the p110 β Subunit of Phosphoinositide 3-OH Kinase in Male Fertility. *Mol Biol Cell.* 2010 Mar;21(5):704-11.

A Daniels et al.: Impaired cardiac functional reserve in type 2 diabetic db/db mice is associated with metabolic, but not structural, remodeling. *Acta Physiol (Oxf).* 2010 Feb 17.

D Fliegner et al.: Female sex and estrogen receptor β attenuate cardiac remodeling and apoptosis in pressure overload. *Am J Physiol Regul Integr Comp Physiol.* 2010 Jun;298(6):R1597-606.

K Toischer et al.: BNP controls early load dependent regulation of SERCA through calcineurin. *Basic Res Cardiol.* 2010 Nov;105(6):795-804.

K Toischer et al.: Differential cardiac remodeling in preload versus afterload. *Circulation.* 2010 Sep 7;122(10):993-1003.

JA Heiny et al.: The nicotinic acetylcholine receptor and the Na,K-ATPase α 2 isoform interact to regulate membrane electrogenesis in skeletal muscle. *J Biol Chem.* 2010 Sep 10;285(37):28614-26.

M van Bilsen et al.: PPARs as therapeutic targets in cardiovascular disease. *Expert Opin Ther Targets.* 2010 Oct;14(10):1029-45

L RV Castro et al.: Feedback control through cGMP-dependent protein kinase contributes to differential regulation and compartmentation of cGMP in rat cardiac myocytes. *Circ Res.* 2010 Sep 16.

G Petrov et al.: Regression of Myocardial Hypertrophy after Aortic Valve Replacement - Faster in Women? *Circulation.* 2010 Sep 14;122(11 Suppl):S23-8

A Zahradníková et al.: Challenging quantal calcium signaling in cardiac myocytes. *J Gen Physiol.* 2010 Nov;136(5):581-3.

AC Hoskins et al.: Normal passive viscoelasticity but abnormal myofibrillar force generation in human hypertrophic cardiomyopathy. *J Mol Cell Cardiol.* 2010 Nov;49(5):737-45.

E Hirsch et al.: Twice upon a time: PI3K's secret double life exposed. *Trends Biochem Sci.* 2009 May;34(5):244-8.

L Barberis et al.: Leukocyte transmigration is modulated by chemokine-mediated PI3K γ -dependent phosphorylation of vimentin. *Eur J Immunol.* 2009 Apr;39(4):1136-46.

F Morello et al.: Phosphoinositide 3-kinase signalling in the vascular system. *Cardiovasc Res.* 2009 May 1;82(2):261-71.

V Fanelli et al.: Pulmonary-derived phosphoinositide 3-kinase gamma (PI3K γ) contributes to ventilator-induced lung injury and edema. *Intensive Care Med.* 2010 Nov;36(11):1935-45.

A Ghigo et al.: PI3K inhibition in inflammation: Toward tailored therapies for specific diseases. *Bioessays.* 2010 Mar;32(3):185-96.

F Damilano et al.: PI3K kinase and scaffold functions in heart. *Ann N Y Acad Sci.* 2010 Feb;1188:39-45.

C. Costa et al.: Dissection of the interplay between class I PI3Ks and Rac signaling in phagocytic functions. *ScientificWorldJournal.* 2010 Sep 14;10:1826-39.

R Fischmeister et al.: Compartmentation of cyclic nucleotide signaling in the heart: the role of cyclic nucleotide phosphodiesterases. *Circulation Research* 2006 Oct 13;99(8):816-28.

G Vandecasteele et al.: Functional localization of cAMP signalling in cardiac myocytes. 484 *Biochemical Society Transactions* (2006) Volume 34, part 4

K Kuba et al.: Lessons from SARS: control of acute lung failure by the SARS receptor ACE2. *J Mol Med.* 2006 Oct;84(10):814-20. Epub 2006 Sep 19.

J Wysocki et al.: Targeting the degradation of angiotensin II with recombinant angiotensin-converting enzyme 2: prevention of angiotensin II-dependent hypertension. *Hypertension.* 2010 Jan;55(1):90-8. Epub 2009 Nov 30.

Y Imai et al.: The discovery of angiotensin-converting enzyme 2 and its role in acute lung injury in mice. *Exp Physiol.* 2008 May;93(5):543-8. Epub 2008 Apr 10.

SE Lehnart et al.: Abnormalities of calcium metabolism and myocardial contractility depression in the failing heart. *Heart Fail Rev.* 2009 May 12. [Epub ahead of print].

A Tóth et al.: Potential Therapeutic Effects of Na⁺/Ca²⁺ Exchanger Inhibition in Cardiac Diseases. *Curr Med Chem.* 2009 Sep 1. [Epub ahead of print].

- F Damilano et al.: Distinct effects of leukocyte and cardiac PI3K γ activity in pressure overload-induced cardiac failure. *Circulation*. 2011 Feb 1;123(4):391-9. Epub 2011 Jan 17.
- M Previlon et al.: Sequential alterations in Akt, GSK3 β , and calcineurin in the mouse left ventricle after thoracic aortic constriction. *Can J Physiol Pharmacol*. 2010 Nov;88(11):1093-101.
- G Kararigas et al.: Sex-specific modification of progesterone receptor expression by 17 β - oestradiol in human cardiac tissues. *Biol Sex Differ*. 2010 Nov 4;1(1):2.
- IC Joziase et al.: ALK2 mutation in a patient with Down's syndrome and a congenital heart defect. *Eur J Hum Genet*. 2011 Jan 19. [Epub ahead of print].
- A Zahradníková et al.: Frequency and release flux of calcium sparks in rat cardiac myocytes: a relation to RYR gating. *J. Gen. Physiol*. Vol. 136 No. 1 101–116.
- J Piquereau et al.: Postnatal development of mouse heart: formation of energetic microdomains. *J Physiol* 588.13 (2010) pp 2443–2454.
- C Grebe et al.: Enhanced expression of DYRK1A in cardiomyocytes inhibits acute NFAT activation but does not prevent hypertrophy in vivo. *Cardiovasc Res*. 2011 Jan 27. [Epub ahead of print].
- C Lengyel et al.: Increased short-term variability of the QT interval in professional soccer players: possible implications for arrhythmia prediction. *PLoS One*. 2011 Apr 15;6(4):e18751
- MC Verhoeven et al.: Wnt signaling regulates atrioventricular canal formation upstream of BMP and Tbx2. *Birth Defects Res A Clin Mol Teratol*. 2011 Apr 28. doi: 10.1002/bdra.20804. [Epub ahead of print]
- Perino et al.: Integrating cardiac PIP3 and cAMP signaling through a PKA anchoring function of p110 γ . *Mol Cell*. 2011 Apr 8;42(1):84-95