

## Publikationen

der AG „Vaskuläre Biologie und Arterioskleroserecherche“

### Originalarbeiten

- Puls M, Schroeter MR, Steier J, Stijohann L, Hasenfuss G, Konstantinides S, Schäfer K. Effect of smoking cessation on the number and adhesive properties of early outgrowth endothelial progenitor cells. *Int J Cardiol* 2010; Nov 18 (epub ahead of print)
- Leifheit-Nestler M, Conrad G, Heida NM, Limbourg A, Limbourg FP, Seidler T, Schroeter M, Hasenfuss G, Konstantinides S, Schäfer K. Overexpression of integrin beta 5 enhances the paracrine properties of circulating angiogenic cells via Src-mediated activation of STAT3. *Arterioscler Thromb Vasc Biol* 2010;30:1398-1406.
- Heida NM, Leifheit-Nestler M, Schroeter MR, Müller JP, Cheng IF, Henkel S, Limbourg A, Limbourg FP, Alves F, Quigley JP, Ruggeri ZM, Hasenfuss G, Konstantinides S, Schäfer K. Leptin enhances the potency of circulating angiogenic cells via Src kinase and integrin  $\alpha\beta 5$ : Implications for angiogenesis in human obesity. *Arterioscler Thromb Vasc Biol* 2010;30:200-206.
- Heida NM, Müller JP, Cheng IF, Leifheit-Nestler M, Faustin V, Riggert J, Hasenfuss G, Konstantinides S, Schäfer K. Effects of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. *J Am Coll Cardiol* 2010;55:357-367.
- Schroeter MR, Humboldt T, Schäfer K, Konstantinides S. Rosuvastatin reduces atherosclerotic lesions and promotes progenitor cell mobilisation and recruitment in apolipoprotein E knockout mice. *Atherosclerosis* 2008;205:63-73.
- Dellas C, Schäfer K, Rohm I, Lankeit M, Ellrott T, Faustin V, Riggert J, Hasenfuss G, Konstantinides S. Absence of leptin resistance in platelets from morbidly obese individuals may contribute to the increased thrombosis risk in obesity. *Thromb Haemost* 2008;100:1123-1129.
- Schneiderman J, Simon AJ, Schroeter MR, Flugelman MY, Konstantinides S, Schäfer K. Leptin receptor is elevated in carotid plaques from neurologically symptomatic patients and positively correlated with augmented macrophage density. *J Vasc Surg* 2008;48:1146-1155.
- Schroeter MR, Leifheit M, Sudholt P, Heida NM, Dellas C, Rohm I, Alves F, Zientkowska M, Rafail S, Puls M, Hasenfuss G, Konstantinides S, Schäfer K. Leptin enhances the

recruitment of endothelial progenitor cells into neointimal lesions after vascular injury by promoting integrin-mediated adhesion. *Circ Res* 2008;103:536-544.

- Schroeter MR, Sawalich M, Humboldt T, Leifheit M, Meurrens K, Berges A, Xu H, Lebrun S, Wallerath T, Konstantinides S, Schleef R, Schäfer K. Cigarette smoke exposure promotes arterial thrombosis and vessel remodeling after vascular injury in apolipoprotein E-deficient mice. *J Vasc Res* 2008;45:480-492.
- Dellas C, Schäfer K, Rohm IK, Lankeit M, Leifheit M, Loskutoff DJ, Hasenfuss G, Konstantinides SV. Leptin signalling and leptin-mediated activation of human platelets: importance of JAK2 and the phospholipases Cy2 and A2. *Thromb Haemost* 2007;98:1063-1071.
- Schroeter MR, Schneiderman J, Schumann B, Glückermann R, Grimmas P, Buchwald AB, Tirilomis T, Schöndube FA, Konstantinides SV, Schäfer K. Expression of the leptin receptor in different types of vascular lesions. *Histochem Cell Biol* 2007;128:323-333.
- Dellas C, Schremmer C, Hasenfuss G, Konstantinides SV, Schäfer K. Lack of urokinase plasminogen activator promotes progression and instability of atherosclerotic lesions in apolipoprotein E-knockout mice. *Thromb Haemost* 2007;98:220-227.
- Puls M, Dellas C, Lankeit M, Olschewski M, Binder L, Geibel A, Reiner C, Schäfer K, Hasenfuss G, Konstantinides S. Heart-type fatty acid-binding protein permits early risk stratification of pulmonary embolism. *Eur Heart J* 2007;28:224-229.
- Schäfer K, Schroeter MR, Dellas C, Puls M, Nitsche M, Weiss E, Hasenfuss G, Konstantinides SV. Plasminogen activator inhibitor-1 from bone marrow-derived cells suppresses neointimal formation after vascular injury in mice. *Arterioscler Thromb Vasc Biol* 2006;26:1254-1259.
- Hecke A, Brooks H, Meryet-Figuière M, Minne S, Konstantinides S, Hasenfuss G, Lebleu B, Schäfer K. Successful silencing of plasminogen activator inhibitor-1 in human vascular endothelial cells using small interfering RNA. *Thromb Haemost* 2006;95:857-864.
- Koschnick S, Konstantinides S, Schäfer K, Crain K, Loskutoff DJ. Thrombotic phenotype of mice with a combined deficiency in plasminogen activator inhibitor 1 and vitronectin. *J Thromb Haemost* 2005;3:2290-2295.
- Schäfer K, Kaiser K, Konstantinides S. Rosuvastatin exerts favourable effects on thrombosis and neointimal growth in a mouse model of endothelial injury. *Thromb Haemost* 2005;93:145-152.

- Konstantinides S, Schäfer K, Neels JG, Dellas C, Loskutoff DJ. Inhibition of endogenous leptin protects mice from arterial and venous thrombosis. *Arterioscler Thromb Vasc Biol* 2004;24:2196-2201.
- Pynn M, Schäfer K, Konstantinides S, Halle M. Exercise training reduces neointimal growth and stabilizes vascular lesions developing after injury in apolipoprotein E-deficient mice. *Circulation* 2004;109:386-392.
- Schäfer K, Halle M, Goeschen C, Dellas C, Pynn M, Loskutoff DJ, Konstantinides S. Leptin promotes vascular remodeling and neointimal growth in mice. *Arterioscler Thromb Vasc Biol* 2004;24:112-117.
- Schäfer K, Müller K, Hecke A, Mounier E, Goebel J, Loskutoff DJ, Konstantinides S. Enhanced thrombosis in atherosclerosis-prone mice is associated with increased arterial expression of plasminogen activator inhibitor-1. *Arterioscler Thromb Vasc Biol* 2003;23:2097-2103.
- Schäfer K, Konstantinides S, Riedel C, Thinnest T, Müller K, Dellas C, Hasenfuss G, Loskutoff DJ. Different mechanisms of increased luminal stenosis after arterial injury in mice deficient for urokinase and tissue-type plasminogen activator. *Circulation* 2002;106:1847-1852.

### **Editorials and Reviews**

- Heida NM, Schäfer K, Konstantinides S. Prolactin as a modulator of platelet function and thrombosis: the end of the story, or a new beginning? *Thromb Haemost* 2009;101:991-992. (Editorial comment)
- Raupach T, Schäfer K, Konstantinides S, Andreas S. Secondhand smoke as an acute threat for the cardiovascular system: A change in paradigm. *Eur Heart J* 2006; 27:386-392. (Review)
- Schäfer K, Konstantinides S. PAI-1 and vasculopathy: the debate continues. *J Thromb Haemost* 2004;2:13-15. (Review).

Konstantinides S, Schäfer K, Loskutoff DJ. Do PAI-1 and vitronectin promote or inhibit neointima formation? The exact role of the fibrinolytic system in vascular remodeling remains uncertain. *Arterioscler Thromb Vasc Biol* 2002;22:1943-1945. (Editorial).