

Publikationen der Arbeitsgruppe seit ihrer Gründung (2001)

1. Puls M, Schroeter M, Steier J, Stijohann L, Hasenfuss G, Konstantinides S, Schäfer K. Effect of smoking cessation on the number, proliferation and adhesive properties of endothelial progenitor cells. *Int J Cardiol* 2010; in press
2. Toischer K, Rokita AG, Unsöld B, Becker A, Zhu W, Sosalla S, Reuter SP, Becker A, Teucher N, Seidler T, Grebe C, Preuss L, Gupta SN, Schmidt K, Lehnart SE, Krüger M, Linke WA, Kararigas G, Regitz-Zagrosek V, Backs J, Schäfer K, Field LJ, Maier LS, Hasenfuss G. Differential cardiac remodeling in preload versus afterload. *Circulation* 2010; in press
3. Leifheit-Nestler M, Conrad G, Heida NM, Limbourg A, Limbourg FP, Seidler T, Schroeter M, Hasenfuss G, Konstantinides S, Schäfer K. Overexpression of integrin beta 5 enhances the paracrine angiogenic properties of circulating angiogenic cells via Src-mediated activation of STAT3. *Arterioscler Thromb Vasc Biol* 2010;30:1398-1406
4. Dellas C, Puls M, Lankeit M, Schäfer K, Cuny M, Berner M, Hasenfuss G, Konstantinides S. Elevated heart-type fatty acid-binding protein levels on admission predict an adverse outcome in normotensive patients with acute pulmonary embolism. *J Am Coll Cardiol* 2010;55:2150-2157
5. Heida NM, Müller JP, Cheng I, Leifheit-Nestler M, Faustin V, Riggert T, Hasenfuss G, Konstantinides S, Schäfer K. Effect of obesity and weight loss on the functional properties of early outgrowth endothelial progenitor cells. *J Am Coll Cardiol* 2010;55:357-367
6. Heida NM, Leifheit-Nestler M, Schroeter MR, Müller JP, Cheng I, Henkel S, Limbourg A, Limbourg FP, Alves F, Quigley JP, Ruggeri Z, Hasenfuss G, Konstantinides S, Schäfer K. Leptin enhances the potency of circulating angiogenic cells via Src kinase-mediated activation of integrin $\alpha\beta 5$: Implications for angiogenesis in human obesity. *Arterioscler Thromb Vasc Biol* 2010;30:200-206
7. Silter M, Kögler H, Wilting J, Zieseniss A, Schäfer K, Toischer K, Rokita AG, Breves G, Maier LS, Katschinski DM. Impaired Ca^{2+} handling in HIF-1 $\alpha^{+/-}$ mice as a consequence of pressure overload. *Pflugers Arch* 2009;459:569-577
8. Heida NM, Schäfer K, Konstantinides S. Prolactin as a modulator of platelet function and thrombosis: the end of the story? Or a new beginning? (editorial comment) *Thromb Haemost* 2009;101:991-992

9. Schroeter MR, Humboldt T, Schäfer K, Konstantinides S. Rosuvastatin reduces atherosclerotic lesions and promotes progenitor cell mobilisation and recruitment in apolipoprotein E knockout mice. *Atherosclerosis* 2009;205: 63-73
10. Dellas C, Schäfer K, Rohm IK, Lankeit M, Ellrott T, Faustin V, Riggert T, Hasenfuss G, Konstantinides S. Absence of leptin resistance in platelets from morbidly obese individuals may contribute to the increased thrombosis risk in obesity. *Thromb Haemost* 2008;100:1123-1129
11. Schneiderman J, Simon AJ, Schroeter MR, Flugelman MY, Konstantinides S, Schäfer K. Leptin receptor is elevated in carotid plaques from neurologically symptomatic patients and positively correlated with augmented macrophage density. *J Vasc Surg* 2008;48:1146-1155
12. Rafail S, Ritis K, Schäfer K, Kourtzelis I, Speletas M, Doumas M, Giaglis S, Kambas K, Konstantinides S, Kartalis G. Leptin induces the expression of functional tissue factor in human neutrophils and peripheral blood mononuclear cells through JAK2-dependent mechanisms and TNFalpha involvement. *Thromb Res* 2008;122:366-375
13. Schroeter MR, Leifheit M, Sudholt P, Heida NM, Dellas C, Rohm I, Alves F, Zientkowska M, Rafail S, Puls M, Hasenfuss G, Konstantinides S, Schäfer K. Leptin enhances the recruitment of endothelial progenitor cells into neointimal lesions after vascular injury by promoting integrin-mediated adhesion. *Circ Res* 2008;103:536-544
14. Lankeit M, Dellas C, Panzenböck A, Skoro-Sajer N, Bonderman D, Olschewski M, Schäfer K, Puls M, Konstantinides S, Lang IM. Heart-type fatty acid-binding protein for risk assessment of chronic thromboembolic pulmonary hypertension. *Eur Respir J* 2008;31:1024-1029
15. Schroeter MR, Sawalich M, Humboldt T, Leifheit M, Meurrens K, Berges A, Xu H, Lebrun S, Wallerath T, Konstantinides S, Schleef R, Schäfer K. Cigarette smoke exposure promotes arterial thrombosis and vessel remodeling after vascular injury in apolipoprotein E-deficient mice. *J Vasc Res* 2008;45:480-492
16. Puls M, Dellas C, Lankeit M, Olschewski M, Binder L, Geibel A, Reiner C, Schäfer K, Hasenfuss G, Konstantinides S. Heart-type fatty acid-binding protein permits early risk stratification of pulmonary embolism. *Eur Heart J* 2007;28:224-229
17. Dellas C, Schremmer C, Hasenfuss G, Konstantinides S, Schäfer K. Lack of urokinase plasminogen activator promotes progression and instability of atherosclerotic lesions in apolipoprotein E-knockout mice. *Thromb Haemost* 2007;98:220-227
18. Knöll R, Postel R, Wang J, Krätzner R, Hennecke G, Vacaru AM, Vakeel P, Schubert C, Murthy K, Rana BK, Kube D, Knöll G, Schäfer K, Hayashi T, et al. Laminin-alpha4 and

integrin-linked kinase mutations cause human cardiomyopathy via simultaneous defects in cardiomyocytes and endothelial cells. *Circulation* 2007;116:515-525

19. Dellas C, Schäfer K, Rohm IK, Lankeit M, Leifheit M, Loskutoff DJ, Hasenfuss G, Konstantinides S. Leptin signaling and leptin-mediated activation of human platelets: importance of JAK2 and the phospholipases C γ 2 and A $_2$. *Thromb Haemost* 2007;98:1063-1071
20. Schroeter MR, Schneiderman J, Schumann B, Glückermann R, Grimmas P, Buchwald AB, Tirilomis T, Schöndube FA, Konstantinides S, Schäfer K. Expression of the leptin receptor in different types of vascular lesions. *Histochem Cell Biol* 2007;128:323-333
21. Schäfer K, Schroeter MR, Dellas C, Puls M, Nitsche M, Weiss E, Hasenfuss G, Konstantinides S. Plasminogen activator inhibitor-1 from bone marrow-derived cells suppresses neointimal formation after vascular injury in mice. *Arterioscler Thromb Vasc Biol* 2006;26:1254-1259
22. Hecke A, Brooks H, Meryet-Figuière M, Minne S, Konstantinides S, Hasenfuss G, Lebleu B, Schäfer K. Successful silencing of plasminogen activator inhibitor-1 in human vascular endothelial cells using small interfering RNA. *Thromb Haemost* 2006;95:857-864
23. Raupach T, Schäfer K, Konstantinides S, Andreas S. Secondhand smoke as an acute threat for the cardiovascular system: a change in paradigm. *Eur Heart J* 2006;27:386-392
24. Schäfer K, Kaiser K, Konstantinides S. Rosuvastatin exerts favourable effects on thrombosis and neointimal growth in a mouse model of endothelial injury. *Thromb Haemost* 2005;93:145-152
25. Koschnick S, Konstantinides S, Schäfer K, Crain K, Loskutoff DJ. Thrombotic phenotype of mice with a combined deficiency in plasminogen activator inhibitor 1 and vitronectin. *J Thromb Haemost* 2005;3:2290-2295
26. Konstantinides S, Schäfer K, Neels JG, Dellas C, Loskutoff DJ. Inhibition of endogenous leptin protects mice from arterial and venous thrombosis. *Arterioscler Thromb Vasc Biol* 2004;24:2196-2201
27. Schäfer K, Konstantinides S. PAI-1 and vasculopathy: The debate continues. *J Thromb Haemost* 2004;2:13-15
28. Schäfer K, Halle M, Goeschen C, Dellas C, Pynn M, Loskutoff DJ, Konstantinides S. Leptin promotes vascular remodeling and neointimal growth in mice. *Arterioscler Thromb Vasc Biol* 2004;24:112-117

29. Pynn M, Schäfer K, Konstantinides S, Halle M. Exercise training reduces neointimal growth and stabilizes vascular lesions developing after injury in apolipoprotein E-deficient mice. *Circulation* 2004;109:386-392
30. Schäfer K, Müller K, Hecke A, Mounier E, Goebel J, Loskutoff DJ, Konstantinides S. Enhanced thrombosis in atherosclerosis-prone mice is associated with increased arterial expression of plasminogen activator inhibitor-1. *Arterioscler Thromb Vasc Biol* 2003;23:2097-2103
31. Schäfer K, Konstantinides S, Riedel C, Thinnis T, Müller K, Dellas C, Hasenfuss G, Loskutoff DJ. Different mechanisms of increased luminal stenosis after arterial injury in mice deficient for urokinase and tissue-type plasminogen activator. *Circulation* 2002;106:1847-1852
32. Cattaruzza M, Schäfer K, Hecker M. Cytokine-induced down-regulation of zfp1/splicing factor-1 promotes smooth muscle cell proliferation. *J Biol Chem* 2002;277:6582-6589
33. Konstantinides S, Schäfer K, Loskutoff DJ. Do PAI-1 and vitronectin promote or inhibit neointima formation? The role of the fibrinolytic system in vascular remodeling remains uncertain. *Arterioscler Thromb Vasc Biol* 2002;22:1943-1945
34. Konstantinides S, Schäfer K, Thinnis T, Loskutoff DJ. Plasminogen activator inhibitor-1 and its cofactor vitronectin stabilize arterial thrombi following vascular injury in mice. *Circulation* 2001;103:576-583
35. Schäfer K, Fujisawa K, Konstantinides S, Loskutoff DJ. Disruption of the plasminogen activator inhibitor 1 gene reduces the adiposity and improves the metabolic profile of genetically obese and diabetic ob/ob mice. *FASEB J* 2001;15:1840-1842
36. Konstantinides S, Schäfer K, Loskutoff, DJ. The prothrombotic effects of leptin: possible implications for the risk of cardiovascular disease in obesity. *Ann N Y Acad Sci* 2001; 947:134-142
37. Konstantinides S, Schäfer K* (first co-author), Koschnick S, Loskutoff DJ. Leptin-dependent platelet aggregation and arterial thrombosis suggests a mechanism for atherothrombotic disease in obesity. *J Clin Invest* 2001;108:1533-1540